

Date: Thursday, 10/04/2008 4:00:48 PM
 User: Julie Lecocq

Process Sheet

Customer :	CU-DAR001 Dart Helicopters Services	Drawing Name :	350 SKIDTUBE ASSEMBLY RH
Job Number :	38545		
Estimate Number :	10265		
P.O. Number :		Part Number :	D350636012
This Issue :	10/04/2008	Drawing Number :	D2750 REV E
Prsht Rev. :	NC	Project Number :	N/A
First Issue :	//	Drawing Revision :	E
Previous Run :	38544	Material :	
Written By :		Due Date :	05/05/2008
Checked & Approved By :	JLD 08.4.10	Qty:	1 Um: Each
Comment :	Est Rev:I 02.09.25 Rearranged procedure steps KJ Est Rev:J 06-03-29 As per Rev D EC Est Rev:K 06-07-13 As per dsi9343 EC Est Rev:L 07-07-28 Added SS Wearplates(Rev E) JLM Verified By:EC		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
----------------	------------------------------	----------------------

1.0	DC	DOCUMENT CONTROL
-----	----	------------------



Comment: DOCUMENT CONTROL

Photocopy blue file and type labels per PPP D350-636-012 CHG 003

08/05/08 8.4.22

2.0	D26003BENT
-----	------------



Comment: Qty.: 1.00000 Each(s)/Unit Total : 1.00000 Each(s)

Pick:

Qty Part Number

Description

Batch

1

D2600-3-Bent

Extrusion (Bent)

B38463

① M 8-4-24

3.0	D2744
-----	-------



Comment: Qty.: 1.00000 Each(s)/Unit Total : 1.00000 Each(s)

Cap

Batch:

B33996

①

M 8-4-24

4.0	SKIDTUBES 1
-----	-------------

SKIDTUBESS RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1- Mark cut line on aft end of D2600-3-Bent using Jig DT 8150. Cut to length as per Dwg D2750. Deburr end

2-Drill pilot holes as per Dwg D2750 sheet 3 (D2750-1 details).Drill using drill Jig DT8150 & DT8863 .

3- Mark fwd end for cutting using Drill Jig DT 8150 & DT8863 and cut

M 8-4-24

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 10/04/2008 4:00:48 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 350 SKIDTUBE ASSEMBLY RH

Job Number: 38545

Part Number: D350636012

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

as per dwg D2750.

4-Drill pilot holes for Detail G using DT8329

5-Open up holes for Detail B to 0.375" (4 holes per side) blade fitting location holes to 0.500" (total of 5 holes per side) as per dwg D2750. Open holes for ground handling and detail E to 0.500" (8 holes per side)

6-Drill pilot holes for wearplates as per Dwg D2750 using DT8108

****Make sure that wearplate holes are on bottom of tube*****

Open 4 aft wearplate holes to 0.250". Open remaining wearplate holes to 0.297".

7-Open up holes of Detail A to 0.297" (total of 2 holes per side)

9-Weld D2744 Cap as per Dwg D2750 and QSI 004. Fill grooves in bend left from bending as per QSI 004
A/R Aluminum Rod *m106330 BE 08/04/25*

10-Grind welds flush as per Dwg D2750

8-4-28 SV

5.0

QC10

VISUAL INSPECTION OF GROUND WELDS



Comment: VISUAL INSPECTION OF GROUND WELDS

BE 08/04/28 (1)

6.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

BE 08/04/28 (1)

7.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1

M 8-4-28 (1)

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

BE 08-04-28 (1)

9.0

D2739



Comment: Qty.: 1.00000 Each(s)/Unit Total: 1.00000 Each(s)

Web

Batch:

B 38587

(1)

M

8-4-28

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 10/04/2008 4:00:48 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 350 SKIDTUBE ASSEMBLY RH

Job Number: 38545

Part Number: D350636012

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

10.0

D34901



Comment: Qty.: 4.00000 Each(s)/Unit Total : 4.00000 Each(s)

Crossbolt spacer

Batch: *233824*

BE 08/04/29

11.0

D34903



Comment: Qty.: 4.00000 Each(s)/Unit Total : 4.00000 Each(s)

Crossbolt spacer

Batch: *233825*

BE 08/04/29

12.0

D2743



Comment: Qty.: 8.00000 Each(s)/Unit Total : 8.00000 Each(s)

Crossbolt Spacer

Batch: *232656*

BE 08/04/29

13.0

SKIDTUBES 1

SKIDTUBESS RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Open up holes of Detail E and ground handling to 0.625" (total of 8 holes per side)
as per dwg D2750.

2-Open up holes of Detail B to 0.750" (total of 4 holes per side)
as per dwg D2750.

3-Open float holes to .500" (4 per Side)

4-Chamfer holes of Detail B, E, ground handling and float holes per dwg D2750 (welding instructions on sheet 4)

5-Deburr and blow out all chips from inside of tube

6-Prepare tube for welding, remove alodine as required.

7-Bond web D2739 in place as per QSI 015

A/R

Sikaflex-291

batch:

M107804

exp. date: *8-10-1*

8- Weld spacers D3490-1, D3490-3 and D2743 as per dwg D2750 & QSI004
(welding instructions on sheet 4)

M
8-428

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 10/04/2008 4:00:48 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 350 SKIDTUBE ASSEMBLY RH

Job Number: 38545

Part Number: D350636012

Job Number:



Seq. #:

Machine Or Operation:

Description :

A/R Aluminum Rod batch: *M107263 BE 08/04/29*

9-Grind welds flush as per Dwg D2750

10-Spot face ground handling holes section P-P (total of 4 places per side) as per dwg D2750

11-Deburr holes

*-ANW
8-4-30*

14.0

QC10

VISUAL INSPECTION OF GROUND WELDS



Comment: VISUAL INSPECTION OF GROUND WELDS

S 08/05/01 (X)

15.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

S 08/05/01 (X)

16.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Pressure wash as per QSI 005

M-L 08/05/05

17.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat Gloss White (Ref. 4.3.5.1) as per Dart QSI 005 4.3

HL 08-05-05 (X)

18.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

Inspect for foreign object per QSI 024

M-L 08/05/06

19.0

ALS41032225



Comment: Qty.: 42.00000 Each(s)/Unit Total: 42.00000 Each(s)

Insert

Batch:

M100489

M-L 08/05/06

20.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

1-Install inserts as per dwg D2750

M-L 08/05/06

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 10/04/2008 4:00:48 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 350 SKIDTUBE ASSEMBLY RH

Job Number: 38545

Part Number: D350636012

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

21.0	D2745	
------	-------	--



Comment: Qty.: 8.00000 Each(s)/Unit Total : 8.00000 Each(s)

Bushing

Batch:

B 37303

M. L.

22.0	D353513	
------	---------	--



Comment: Qty.: 1.00000 Each(s)/Unit Total : 1.00000 Each(s)

WEARSHOE

Batch:

B 37584

M. L.

23.0	D353525	
------	---------	--



Comment: Qty.: 1.00000 Each(s)/Unit Total : 1.00000 Each(s)

WEARSHOE

Batch:

B 38162

M. L.

24.0	D353535	
------	---------	--



Comment: Qty.: 1.00000 Each(s)/Unit Total : 1.00000 Each(s)

WEARSHOE

Batch:

B 38760

M. L.

25.0	D353613	
------	---------	--



Comment: Qty.: 1.00000 Each(s)/Unit Total : 1.00000 Each(s)

GASKET

Batch:

B 38564

M. L.

26.0	D353625	
------	---------	--



Comment: Qty.: 1.00000 Each(s)/Unit Total : 1.00000 Each(s)

GASKET

Batch:

B 38565

M. L.

27.0	D353635	
------	---------	--



Comment: Qty.: 1.00000 Each(s)/Unit Total : 1.00000 Each(s)

GASKET

Batch:

B 37352

M. L.

08/05/06



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 10/04/2008 4:00:48 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 350 SKIDTUBE ASSEMBLY RH

Job Number: 38545

Part Number: D350636012

Job Number:



Seq. #:

Machine Or Operation:

Description :

28.0

D35371



Comment: Qty.: 5.00000 Each(s)/Unit Total : 5.00000 Each(s)

WEARPAD

Batch: _____

B37749

M. L.

29.0

D36311



Comment: Qty.: 8.00000 Each(s)/Unit Total : 8.00000 Each(s)

WASHER

Batch: _____

B38139

M. L.

30.0

D3488042



Comment: Qty.: 1.00000 Each(s)/Unit Total : 1.00000 Each(s)

Blade Fitting, RH

Batch: _____

B36235

M. L.

31.0

D3492041



Comment: Qty.: 8.00000 Each(s)/Unit Total : 8.00000 Each(s)

PLUG ASSEMBLY

Batch: _____

B38562

M. L.

32.0

D3492043



Comment: Qty.: 8.00000 Each(s)/Unit Total : 8.00000 Each(s)

PLUG ASSEMBLY

Batch: _____

B38467

(7x)

B38563

(1x)

M. L. *

33.0

AN3C5A



Comment: Qty.: 38.00000 Each(s)/Unit Total : 38.00000 Each(s)

Bolt

Batch: _____

M107737

M. L.

34.0

AN3C6A



Comment: Qty.: 4.00000 Each(s)/Unit Total : 4.00000 Each(s)

Bolt

Batch: _____

M105300

M. L.

08/05/06

(1x)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 10/04/2008 4:00:48 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 350 SKIDTUBE ASSEMBLY RH

Job Number: 38545

Part Number: D350636012

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

35.0	AN3C7A	
------	--------	--



Comment: Qty.: 4.00000 Each(s)/Unit Total : 4.00000 Each(s)

BOLT

Batch: M107376

m. b.

36.0	AN6C44A	
------	---------	--



Comment: Qty.: 4.00000 Each(s)/Unit Total : 4.00000 Each(s)

BOLT

Batch: M107685

m. b.

37.0	AN8C35A	
------	---------	--



Comment: Qty.: 1.00000 Each(s)/Unit Total : 1.00000 Each(s)

BOLT

Batch: M106896

m. b.

38.0	AN960C10L	
------	-----------	--



Comment: Qty.: 46.00000 Each(s)/Unit Total : 46.00000 Each(s)

washer

Batch: M107736

m. b.

39.0	AN960C816L	
------	------------	--



Comment: Qty.: 2.00000 Each(s)/Unit Total : 2.00000 Each(s)

WASHER

Batch: M106513

m. b. *

40.0	MS210436	
------	----------	--



Comment: Qty.: 4.00000 Each(s)/Unit Total : 4.00000 Each(s)

NUT

Batch: M107736

m. b.

41.0	MS21083C8	
------	-----------	--



Comment: Qty.: 1.00000 Each(s)/Unit Total : 1.00000 Each(s)

NUT

Batch: M107756

m. b. (X) 08/05/06

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 10/04/2008 4:00:48 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 350 SKIDTUBE ASSEMBLY RH

Job Number: 38545

Part Number: D350636012

Job Number:



Seq. #: Machine Or Operation: Description :

42.0 NAS1515H3L



Comment: Qty.: 4.00000 Each(s)/Unit Total : 4.00000 Each(s)

WASHER

Batch: M107394

M-L

43.0 NAS1515H8L



Comment: Qty.: 2.00000 Each(s)/Unit Total : 2.00000 Each(s)

WASHER

Batch: M107581

M-L

44.0 HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

1-Inspect for Foreign Objects

2-Spray inside of tube with "LPS-3"

batch: MA106096

3-Install blade fitting D3488-042, wearshoes and ground handling hardware as per dwg D2750

SIKA FLEX 241

BATCH: M107804

EXP DATE: 08/10

4-Coat all exposed fasteners with "LPS Procyon"

batch: M104251

M-L 08/05/07

45.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

S 2010508 (40)

46.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Pick Packing Kit

47.0

D2741



Comment: Qty.: 1.00000 Each(s)/Unit Total : 1.00000 Each(s)

Blade

Batch: 36343

85/9

SD

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 10/04/2008 4:00:48 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 350 SKIDTUBE ASSEMBLY RH

Job Number: 38545

Part Number: D350636012

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

48.0	AN960C816L	
------	------------	--



Comment: Qty.: 2.00000 Each(s)/Unit Total : 2.00000 Each(s)

Washer

Batch: 107520

SP

49.0	MS21083C8	
------	-----------	--



Comment: Qty.: 2.00000 Each(s)/Unit Total : 2.00000 Each(s)

Nut

Batch: 107756

SP

50.0	AN8C21A	
------	---------	--



Comment: Qty.: 2.00000 Each(s)/Unit Total : 2.00000 Each(s)

Bolt

Batch: 107596

SP

51.0	NAS1515H8L	
------	------------	--



Comment: Qty.: 2.00000 Each(s)/Unit Total : 2.00000 Each(s)

WASHER

Batch: 107581

SD

52.0	D34931	
------	--------	--



Comment: Qty.: 2.00000 Each(s)/Unit Total : 2.00000 Each(s)

WASHER

Batch: 38102

SD

53.0	D35321	
------	--------	--



Comment: Qty.: 2.00000 Each(s)/Unit Total : 2.00000 Each(s)

spacer

Batch: 38161

8/5/9

14

SP

54.0	QC4	
------	-----	--



INSPECT 100% KITS FOR COMPLETENESS



Comment: INSPECT 100% KITS FOR COMPLETENESS

2 0065109 @

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 10/04/2008 4:00:48 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 350 SKIDTUBE ASSEMBLY RH

Job Number: 38545

Part Number: D350636012

Job Number:



Seq. #:

Machine Or Operation:

Description :

55.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Package as per PPP D350-636-012

F

8/5/9

30

14

56.0

QC21

FINAL INSPECTION/W/O RELEASE



08/05/12

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



MF 08-05-09

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN <i>PH</i>	DRAWN BY <i>CB</i>	DART AEROSPACE USA, INC. PORT HADLOCK, WA	
CHECKED <i>PH</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D2750	REV. E SHEET 2 OF 5
DATE 07.05.17		TITLE 350 SKIDTUBE ASSEMBLY	SCALE NTS

GENERAL NOTES:

RELEASED
07-08-02 [Signature]

1. ALL DIMENSIONS ARE IN INCHES.
2. TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
3. MAKE FROM D2600-3 EXTRUSION (INITIAL LENGTH = 120.0).
4. DAMAGE TOLERANCE ON BENDING:
THERE SHOULD BE NO VISIBLE WRINKLES IN THE BEND FROM THE GROUND TO A HEIGHT OF 12 INCHES ABOVE THE GROUND. NO GOUGING IS ACCEPTABLE IN THE FLAT PORTION OF THE TUBE. GOUGES UP TO 0.020 ARE ACCEPTABLE IN THE BENT PORTION OF THE TUBE. TUBE O.D. SHOULD BE 3.150 ± 0.010 IN THE FLAT PORTION OF THE TUBE. TUBE O.D. SHOULD BE 3.15 ± 0.030 IN THE BENT PORTION OF THE TUBE.
5. ALL HOLES DRILLED ON CENTERLINES EXCEPT THOSE NOTED BY SECTIONS C-C, D-D AND F-F.
6. WELDING TO BE DONE PER DART QSI 004.
7. FINAL CONFIGURATION SHOULD HAVE THE FOLLOWING MINIMUM MECHANICAL PROPERTIES:
MINIMUM YIELD TENSILE STRENGTH = 35 ksi
MINIMUM ULTIMATE TENSILE STRENGTH = 38 ksi
8. FINISH:
ACID ETCH, ALODINE ASSEMBLY PER DART QSI 005 4.1 PRIOR TO INSTALLING D2739 WEB.
POWDER COAT WHITE (REF. 4.3.5.1) PER DART QSI 005 4.3
BLACK ANTI-SKID PAINT AS INDICATED TO 1.0 ABOVE SKIDTUBE CENTER-LINE PER DART 005 4.4 (OPTIONAL).
9. INSTALL ALS4-1032-225 INSERTS AFTER FINISH AS INDICATED IN D2750-1/-2/-3/-4 WELDING DETAIL ON PAGE 4 AND 5. DRILL 'F' SIZE HOLES ($\emptyset 0.297$) FOR WEARSHOE INSERTS.
10. D3488-041 (OR D3488-042) BLADE FITTING AND AN3C5A/AN3C7A WEARSHOE BOLTS TO BE INSTALLED USING SIKAFLEX-241 (OR EQUIVALENT) SEALANT.
11. SPRAY INSIDE OF TUBE WITH A COAT OF LPS LABORATORIES "LPS-3" AFTER FINISH AND AFTER INSTALLATION OF INSERTS. COAT ALL EXPOSED FASTENERS WITH LPS LABORATORIES "LPS PROCYON" AFTER FINAL ASSEMBLY, CLEAN EXCESS OFF POWDER COATING WITH MEK DEGREASER.

SHOP COPY
RETURN TO
ENGINEERING
FOR REVIEWED COPY
SUBMITTAL
WITHOUT NOTICE
WORK ORDER
NO. *38528*

COPYRIGHT © 1998 BY DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

NO. 150

AWS D17.1.2001
QUALIFICATION TEST RECORD

Name: Barclay Elliot
Job number: 37801
Part number: D305 636 041 D350 636 041
Description: 30 350 skid tube
Welding Process: Tig ☒ Mig ☐
Base material: Aluminium
Current: AC ☒ DC ☐

TEST REQUIREMENTS AND RESULTS

Visual: pass ☒ fail ☐
Penetration: pass ☒ fail ☐


UNACCEPTABLE

Cracks: pass ☒ fail ☐
Undercut: pass ☒ fail ☐
Pin holes: pass ☒ fail ☐
Overlap (cold lap): pass ☒ fail ☐
Porosity (surface): pass ☒ fail ☐
Coloration: pass ☒ fail ☐


Qualifier Pct. Daud. Date of Test Coupon 08-04-23

Welder Barclay Elliot Date of Test Coupon 08-04-23





The above named individual is qualified in accordance with AWS D17.1.2001 to weld




**D2750-1 LH SKIDTUBE (SHOWN)
D2750-2 RH SKIDTUBE (OPPOSITE)**




**D2750-3 LH SKIDTUBE (SHOWN)
D2750-4 RH SKIDTUBE (OPPOSITE)**




**SECTION C-C
SCALE 1:4**



**SECTION D-D
SCALE 1:4**



**DETAIL B
SCALE 1:8
(ALL DIMENSIONS ARE
STRAIGHT LINE DIMENSIONS)**









**SECTION F-F
SCALE 1:4**

RELEASED
07-08-02


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. _____

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 38475


DESIGN <i>PH</i>	DRAWN BY <i>CB</i>	DART AEROSPACE USA, INC. PORT HADLOCK, WA	
CHECKED <i>PH</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D2750	REV. E SHEET 3 OF 5
DATE 07.05.17		TITLE 350 SKIDTUBE ASSEMBLY	SCALE 1:20
COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			




SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. _____




- WELDING INSTRUCTIONS**
- 1) CHAMFER HOLE 0.050 x 45°
 - 2) INSERT D3490-1 SPACER (4 PLACES) INTO $\phi 0.500$ HOLES OR INSERT D3490-3 SPACER (4 PLACES) INTO $\phi 0.750$ HOLES
 - 3) WELD INTO PLACE
 - 4) GRIND WELD FLUSH
 - 5) INSERT D3492-041 PLUG ASSEMBLY (8 PLACES) INTO D3490-1 SPACER OR INSERT D3492-043 PLUG ASSEMBLY (8 PLACES) INTO D3490-3 SPACER ON BOTH ENDS AFTER FINISH



DESIGN PH	DRAWN BY CB	DART AEROSPACE USA, INC. PORT HADLOCK, WA	
CHECKED PH	APPROVED 	DRAWING NO. D2750	REV. E SHEET 4 OF 5
DATE 07.05.17		TITLE 350 SKIDTUBE ASSEMBLY	SCALE 1:10
COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			

UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 38545



RELEASED
07-08-02

INSTALL ALS4-1032-225
INSERTS (4 PLACES)
AFTER FINISH

INSTALL ALS4-1032-225
WEARSHOE INSERTS (38 PLACES)
AFTER FINISH

DETAIL H
SCALE 1:5

SECTION J-J
SCALE 1:5

INSTALL:
AN3C6A BOLT (1)
AN960C10L WASHER (1)
NAS1515H3L WASHER (1)
(4 PLACES)

INSTALL AT AFTMOST
D3537-1 WEARPAD:
AN3C7A BOLTS (1)
AN960C10L WASHER (1)
(4 PLACES)

SECTION N-N
SCALE 1:5

INSTALL:
AN3C5A BOLT (1)
AN960C10L WASHER (1)
(38 PLACES)

SECTION M-M
SCALE 1:5

SECTION P-P
SCALE 1:5

SECTION Q-Q
SCALE 1:5

SECTION R-R
SCALE 1:5

INSTALL:
AN6C44A BOLT (1)
D2745 BUSHING (2)
D3631-1 WASHER (2)
MS21043-6 NUT (1)
(4 PLACES)

INSTALL:
AN8C35A BOLT (1)
AN960C816L WASHER (2)
NAS1515H8L WASHER (2)
MS21083C8 NUT (1)

- WELDING INSTRUCTIONS
- 1) CHAMFER HOLE 0.050 x 45°
 - 2) INSERT D2743 SPACER
 - 3) WELD INTO PLACE
 - 4) GRIND WELD FLUSH
 - 5) DRILL OUT SPACER TO Ø0.484
 - 6) SPOT FACE Ø0.750 (SECTION P-P ONLY)

- WELDING INSTRUCTIONS
- 1) CHAMFER HOLE 0.050 x 45°
 - 2) INSERT D3490-5 SPACER (4 PLACES) INTO Ø0.313 HOLES OR INSERT D3490-1 SPACER (4 PLACES) INTO Ø0.500 HOLES
 - 3) WELD INTO PLACE
 - 4) GRIND WELD FLUSH
 - 5) INSERT D3492-045 PLUG ASSEMBLY (8 PLACES) INTO D3490-5 SPACER OR INSERT D3492-043 PLUG ASSEMBLY (8 PLACES) INTO D3490-1 SPACER ON BOTH ENDS AFTER FINISH

SECTION T-T
(FOR Ø0.500 HOLES ONLY)
SCALE 1:5

SECTION U-U
(FOR Ø0.313 HOLES ONLY)
SCALE 1:5

D3490-1 SPACER

INSTALL:
D3492-041 PLUG
ASSEMBLY (2 PLACES)

D3490-5 SPACER

INSTALL:
D3492-045 PLUG
ASSEMBLY (2 PLACES)

SHOP COPY
RETURN TO
ENGINEER
UNCONTROLLED
SUBJECT TO
WITHOUT NOTICE
WORK ORDER
38545

DESIGN PH	DRAWN BY CB	DART AEROSPACE USA, INC. PORT HADLOCK, WA	
CHECKED PH	APPROVED [Signature]	DRAWING NO. D2750	REV. E SHEET 5 OF 5
DATE 07.05.17		TITLE 350 SKIDTUBE ASSEMBLY	SCALE 1:10
COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			

